

Ranger Glass

AR Glass，From Hand-Held to Hands-Free

Hands-Free with 15% More Efficiency


Scan-to-Action in Real Time





Voice-Directed Work, Accuracy & Speed

Gaming-Inspired Operation, Lower Training Costs





49.9g

All-Day Comfort, Shift After Shift

5100 mAh

5000mAh Removable Battery with Fast Charging

Accessorize Your Efficiency

IP67

0.8m (Base Station)

1.2m (Glass)

» Specifications

Processor
Octa Core
2*2.2G+6*2.0

Operating System
Android 13

Memory
4 GB RAM+64 GB Flash
TF card, supports up to 256 GB

Display (Base Station)
4” 800*480 Full-color

Display (Glass)
0.13” Micro LED 480*640 monochrome green

Scanning
Camera-based scanning
Support international standard 1D/2D barcode;

Scan Angle Tilt
25°

Camera
Base Station: 13M, PDAF
Glass: 2M

Battery
Typ:5200mAh,Rat:5100mAh
Battery One-piece design
support hot swap

Charging
Regular Charing 10w, 5v*2A

Sensors
Hall Sensor

Slots
1*Nona SIM

Audio
Base Station: 1*Speaker, 1*Mic
Glass: 2*Speaker, 4*Mic

Durability (Base Station)
Sealing: IP65
Drop: 1.2m concrete

Durability (Glass)
Sealing: IP64
Drop: 0.8m concrete

Size
Base Station:
114*65.65*20.4mm
Glass: 152*45.7mm

Weight
Base Station: 265.5g
Glass: 49g

Certification
CCC/CTA/SRRC/CE/FCC/TUV/UN38.3

Buttons
On Cable:
1*Glass Display Control Key
1*Next Step Key
2*Function-Customizable Key

On Base Station:
2*Function-Customizable Key

Interfaces
USB type C*1

Positioning
GPS/A-GPS/BD/GLONASS

Connections
WWAN: EuroAsia, America, Brazil
Wi-Fi 5
Bluetooth 5

Environment
Operating Temp: -10°C ~ +55°C
Storage Temp: -40°C ~ +75°C
Humidity: 5%~95% (Non-condensing)